



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **SPECIAL SILICONE**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Sealant

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

**Prefa Aluminiumprodukte GmbH**

Werkstraße 1

3182 Markt/Lilienfeld

Austria

T: +43 2762 502 0

Email: office.at@prefa.com

#### Further information obtainable from:

External:

www.chemiebuero.de

Email: sdb@chemiebuero.de

### 1.4 Emergency telephone number:

+43 2762 502 0

Available during office hours:

Monday - Thursday: 07:00 - 12.00, 13:00 - 17:00 h

Friday: 07:00 - 13:00 h

**Call the national emergency number!**

## \* SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** void

**Hazard pictograms** void

**Signal word** void

**Hazard statements** void

**Additional information:**

With Biocide Octylisothiazolinone treated article.

EUH208 Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**2.3 Other hazards** Contact with moisture releases methanol, 2-pentanone oxime and acetone oxime.

**Results of PBT and vPvB assessment**

**PBT:** The mixture does not contain PBT substances  $\geq 0,1$  %.

(Contd. on page 2)



**Trade name: SPECIAL SILICONE**

(Contd. of page 1)

**vPvB:** The mixture does not contain vPvB substances  $\geq 0,1$  %.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

[% (w/w)]

CAS: 58190-57-1 EC number: 611-631-1 Reg.nr.: 01-2119982962-22-XXXX	5-ethyl-2,8-dimethyl-5-[[propan-2-ylidene]amino]oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene STOT RE 2, H373	1 - < 5%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317:C $\geq 0.0015$ %	0.0015 - < 0.0025%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information:**

In case of discomfort or doubt, seek medical advice.

If unconscious, use a stable lateral position and do not administer anything through mouth.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Take off contaminated clothing and wash it before reuse.

Seek medical treatment in case of complaints.

**After eye contact:**

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment in case of complaints.

(Contd. on page 3)



**Trade name: SPECIAL SILICONE**

(Contd. of page 2)

**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents:**

Fire-extinguishing powder

Foam

Carbon dioxide

**For safety reasons unsuitable extinguishing agents:** Water

**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

CO<sub>x</sub>, NO<sub>x</sub>

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

Particular danger of slipping on leaked/spilled product.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



**Trade name: SPECIAL SILICONE**

(Contd. of page 3)

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Store in a dry, cool, well-ventilated area.

Provide a tight floor.

Store in accordance with local/regional/national/international regulations.

#### Information about storage in one common storage facility:

Store away from feeding stuff.

Store away from foodstuffs.

#### Further information about storage conditions:

Keep container tightly sealed.

Store only in the original receptacle.

**Recommended storage temperature:** room temperature

**Storage class:** 10

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

#### CAS: 67-56-1 methanol

WEL	Short-term value: 333 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 266 mg/m <sup>3</sup> , 200 ppm
	Sk

**Regulatory information** WEL: EH40/2020

#### DNELs

#### CAS: 58190-57-1 5-ethyl-2,8-dimethyl-5-[[propan-2-ylidene)amino]oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene

Oral	Long-term exposure - systemic effects	0.03 mg/kg bw/d (consumer)
Dermal	Long-term exposure - systemic effects	0.03 mg/kg bw/d (consumer)
		0.059 mg/kg bw/d (workers)

(Contd. on page 5)



**Trade name: SPECIAL SILICONE**

(Contd. of page 4)

Inhalative	Long-term exposure - systemic effects	0.103 mg/m <sup>3</sup> (consumer) 0.419 mg/m <sup>3</sup> (workers)
------------	---------------------------------------	---

**PNECs**

**CAS: 58190-57-1 5-ethyl-2,8-dimethyl-5-[[propan-2-ylidene)amino]oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene**

fresh water	0.24 mg/l
sea water	0.024 mg/l
STP	2.398 mg/l
sediment (fresh water)	2,047.053 mg/kg dw
sediment (sea water)	204.705 mg/kg dw
soil	240.95 mg/kg dw
oral	2.638 mg/kg food

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

**Appropriate engineering controls**

No further data; see item 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter type A

**Hand protection**



Protective gloves

EN 374

(Contd. on page 6)



**Trade name: SPECIAL SILICONE**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

**Material of gloves**

Butyl rubber gloves; recommended material thickness: 0.4 mm, permeation time: > 120 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**



Tightly sealed goggles

EN 166

**Body protection:** Protective work clothing

**Environmental exposure controls** Do not allow to enter sewers/ surface or ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Fluid
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	No information available.
<b>Melting point/freezing point:</b>	No information available.
<b>Boiling point or initial boiling point and boiling range</b>	No information available.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	No information available.
<b>Upper:</b>	No information available.
<b>Flash point:</b>	Not applicable.
<b>Decomposition temperature:</b>	No information available.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	No information available.
<b>Dynamic:</b>	No information available.
<b>Solubility</b>	
<b>water:</b>	Not miscible or difficult to mix.

(Contd. on page 7)



**Trade name: SPECIAL SILICONE**

(Contd. of page 6)

<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	No information available.
<b>Vapour density</b>	No information available.

**9.2 Other information**

**Appearance:**

**Form:** Pasty

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:** No information available.

**Explosive properties:** Product does not present an explosion hazard.

**Change in condition**

**Softening point/range**

**Oxidising properties** None.

**Evaporation rate** No information available.

**Information with regard to physical hazard classes**

<b>Explosives</b>	void
<b>Flammable gases</b>	void
<b>Aerosols</b>	void
<b>Oxidising gases</b>	void
<b>Gases under pressure</b>	void
<b>Flammable liquids</b>	void
<b>Flammable solids</b>	void
<b>Self-reactive substances and mixtures</b>	void
<b>Pyrophoric liquids</b>	void
<b>Pyrophoric solids</b>	void
<b>Self-heating substances and mixtures</b>	void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	void
<b>Oxidising liquids</b>	void
<b>Oxidising solids</b>	void
<b>Organic peroxides</b>	void
<b>Corrosive to metals</b>	void
<b>Desensitised explosives</b>	void

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** strong oxidizing agents

(Contd. on page 8)



**Trade name: SPECIAL SILICONE**

(Contd. of page 7)

**10.6 Hazardous decomposition products:**

No decomposition if used and stored according to specifications.  
No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 58190-57-1 5-ethyl-2,8-dimethyl-5-[[propan-2-ylidene]amino]oxy}-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene**

Oral	LD50	> 2,500 mg/kg (rat)
Dermal	LD50	> 2,493.77 mg/kg (rat)

**CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one**

Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50/4 h	0.27 mg/l (ATE)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Based on available data, the classification criteria are not met.

No classification based on toxicological studies.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:**

**CAS: 58190-57-1 5-ethyl-2,8-dimethyl-5-[[propan-2-ylidene]amino]oxy}-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene**

EC50 (48 h)	> 100 mg/l (daphnia)
LC50 (96 h)	> 100 mg/l (fish)

(Contd. on page 9)





**Trade name: SPECIAL SILICONE**

(Contd. of page 8)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** The mixture does not contain PBT substances  $\geq 0,1$  %.

**vPvB:** The mixture does not contain vPvB substances  $\geq 0,1$  %.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Only dispose of product residues via authorised companies according to local legislation.

**European waste catalogue**

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

07 02 17	waste containing silicones other than those mentioned in 07 02 16
----------	---

**Uncleaned packaging:**

**Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

**ADR/RID/ADN, IMDG, IATA**

not regulated

**14.2 UN proper shipping name**

**ADR/RID/ADN, IMDG, IATA**

not regulated

**14.3 Transport hazard class(es)**

**ADR/RID/ADN, ADN, IMDG, IATA**

**Class**

not regulated

**14.4 Packing group**

**ADR/RID/ADN, IMDG, IATA**

not regulated

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

(Contd. on page 10)



**Trade name: SPECIAL SILICONE**

(Contd. of page 9)

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.  
**UN "Model Regulation":** not regulated

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**National regulations:**

**Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

### Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

### Department issuing SDS:

UmEnA GmbH

<http://umena.at>

Email: [office@umena.at](mailto:office@umena.at)

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

(Contd. on page 11)

# Safety data sheet

## according to 1907/2006/EC



Page 11/11

Printing date 08.03.2023

Version number 2.1 (replaces version 2.0)

Revision: 08.03.2023

---

**Trade name: SPECIAL SILICONE**

---

(Contd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

---

GB